Working Paper No. 16-08

Bootstrapping the Autoregressive Distributed Lag Test for Cointegration

Robert McNown
University of Colorado Boulder

Chung Yan Sam
Centre for Policy Research & International Studies

Soo Khoon Goh
Universiti Sains Malaysia

November 2016

Department of Economics

University of Colorado Boulder
Boulder, Colorado 80309

© November 2016 Robert McNown, Chung Yan Sam, Soo Khoon Goh

Bootstrapping the Autoregressive Distributed Lag Test for Cointegration

Robert McNown, [a*] Chung Yan Sam,[b*] Soo Khoon Goh[b*`]

a* University of Colorado, Boulder, CO, 256 UCB, 80309, United States
b* Centre for Policy Research & International Studies, Universiti Sains Malaysia, 11800 Penang, Malaysia

Abstract

We propose a bootstrap ARDL test. By applying the appropriate bootstrap method, some weaknesses underlying the Pesaran et al. (2001) test are addressed including size and power properties and the elimination of inconclusive inferences. In add(s)-24(.)]TJ 0 -1.9 [(I)- TJ 0.013 Tc -0.013 Tw [(a)

assumption by treating each of the variables as the dependent variable in a sequence of regressions on the others. This implicitly allows two or more variables to be (weakly) endogenous in violation of the assumptions underlying the distributions of the test statistics presented in PSS.

Therefore, one of the objectives of this paper is to evaluate the performance of the test under violation of the assumption of no feedback from the dependent variable to the independent variables. We employ Monte Carlo simulations to investigate the size and power properties of

the PSS ARDL bounds test under a range of environments, including those violating the assumption of weak exogeneity of the regressors. In addition we employ these same Monte Carlo experiments to investigate the performance of ARDL cointegration tests using the bootstrap procedure, providing a comparison of the performance of the bootstrap and asymptotic tests in the ARDL model. This adds to the existing research on bootstrapping in time series models (for example, Li and Maddala, 1997; Chang and Park, 2003; Palm et al., 2010; Ko, 2011). It is increasingly common to use the bootstrap to perform hypothesis tests in econometric analysis, as bootstrap test statistics' critical values are often more accurate than asymptotic critical values (Singh, 1981; Beran, 1988). Palm et al. (2010) (PSU hereafter) prove the consistency of the bootstrap test of cointegration in a

with that of the US during the recent managed floating exchange rate regime. They found that despite the significant F and t-statistics for the two tests in PSS, the t-statistic for the lagged independent variable (i.e. US interest rate) was insignificant. Hence, this suggests that the lagged level of the dependent variable is the sole source for the overall statistical significance of the lagged levels. In this case the ARDL equation reduces to a generalized Dickey-Fuller equation, the dependent variable is actually stationary, and cointegration between the two series does not exist.

Instead of assuming the dependent variable to be I(1) in order to rule out the degenerate case, we propose an explicit test on the lagged level of the independent variable(s) to have a full picture of the cointegration status between the dependent and independent variables. By application of all three ARDL tests - the joint F

In summary, this study offers several contributions to the ARDL testing methodology. From the Monte Carlo simulations, there is evidence that the endogeneity problem has only minor effects on the size and power properties of the ARDL bounds testing framework using the asymptotic critical values. In addition, if the resampling procedure is applied appropriately, the bootstrap test performs better than the asymptotic test in the ARDL bounds test based on size and power properties. Furthermore, the bootstrap procedure has the additional advantage of eliminating the possibility of inconclusive inferences. Finally, we present an extension of the ARDL testing framework for the alternative degenerate case, with critical values generated by the bootstrap procedure. In an empirical application we demonstrate the occurrence of this alternative degenerate case when both the joint F test and t test on the lagged level of the dependent variable are significant, but the coefficient on the lagged level of the independent variable is insignificant. We find occurrence of this alternative degenerate case even when the dependent variable appears to be I(1) based on standard unit root tests. Therefore, the proposed bootstrap ARDL test provides a better insight on the cointegration status of the series in the model.

This paper is constructed as follows. Section 2 explains the degenerate cases in greater detail. Section 3 discusses the data generating process (DGP), model, and simulation setup of the Monte Carlo experiments. Next, we present our simulation results in Section 4. Section 5 describes an empirical application and illustrates the degenerate cases, and Section 6 concludes the study.

2. Assumption 3 of Bounds Testing Approach and the Existence of Degenerate Case

2.1 Assumption 3 of Bounds Testing Approach

PSS used 5 assumptions as the foundation for the bounds testing approach. Some researchers may miss one of the crucial assumptions i.e. Assumption 3 that is spelled out by PSS, page 293. Consider a (k+1)-VAR model of order p:

$$(L)(_{t} \quad] \quad t) \quad _{t}, t \quad 1, 2, ! \ (\qquad (1)$$

where L is the lag operator, $\{z_t\}_{t\ 1}^{f}$ is a (k+1) random process that can be partitioned into $(y_t, x_t)'$, and are unknown (D 17 >>BDC q 170.77 134.3 5.75 1225 re W n BT 5.56 Tf05005 2 1 5

identity matrix of order k+1, with $\hat{}_{i}\ \grave{}_{i}^{p}{}_{1}$ $(k\ \ 1, k\ \ 1)$ matrices of unknown coefficients. Applying PSS Assumptions 1 and 2, the VAR(p) in Equation (1) is expressed as a conditional ECM system:

$$y_t' \quad c_0 \quad c_1 t \quad S_{yy} y_{t\ 1} \quad {}_{yx\ t\ 1} \quad \sum_{i\ 1}^{p\ 1} {}_{i}' \quad {}_{t\ 1} \quad ' \quad {}_{t} \quad u_t$$